

Toppyl PB 8340M

PB...

LyondellBasell Industries

Rheological properties	Value	Unit	Test Standard
ISO Data			
Melt Flow Index, MFI	4	g/10min	ISO 1133
MFI temperature	190	°C	-
MFI load	2.16	kg	-

Mechanical Properties	Value	Unit	Test Standard
ISO Data			
Flexural Modulus (23°C)	270	MPa	ISO 178

Thermal Properties	Value	Unit	Test Standard
ISO Data			
Melting Temperature (10°C/min)	113	°C	ISO 11357-1/-3

Other Properties	Value	Unit	Test Standard
ISO Data			
Density	911	kg/m³	ISO 1183

Characteristics

Processing

Film Extrusion, Blown Film Extrusion

Certifications

Food approval

Features

Blending Resin, Heat Sealable, Copolymer, Random Copolymer

Applications

Packaging