

Hifax EPR 60/M Bianco

PP COPO

LyondellBasell Industries

Rheological properties	Value	Unit	Test Standard
ISO Data			
Melt Flow Index, MFI	4	g/10min	ISO 1133
MFI temperature	230	°C	-
MFI load	2.16	kg	-

Mechanical Properties	Value	Unit	Test Standard
ISO Data			
Yield stress	20	MPa	ISO 527
Strain at Break	>50	%	ISO 527
Flexural Modulus (23°C)	900	MPa	ISO 178

Thermal Properties	Value	Unit	Test Standard
ISO Data			
Melting Temperature (10°C/min)	160	°C	ISO 11357-1/-3

Other Properties	Value	Unit	Test Standard
ISO Data			
Density	900	kg/m ³	ISO 1183

Characteristics

Processing

Other Extrusion, Coating

Delivery form

Powder, White

Special Characteristics

Impact modified, Heat aging stabilized

Features

Good Adhesion, Thermal Stability, Copolymer

Applications

Building Construction