

Mechanical Properties	Value	Unit	Test Standard
ISO Data			
Compression Set under constant strain, 70 °C	75	%	ISO 815
Shore Hardness A (15s)	66	-	ISO 868
Tensile Strength	5.5	MPa	ISO 37
Strain at Break	572	%	ISO 37
Stress at 100% Elongation	2.6	MPa	ISO 37
Stress at 300% Elongation	10.8	MPa	ISO 37
Tear strength	35	kN/m	ISO 6383
Abrasion resistance	191	mm ³	DIN 53516

Other Properties	Value	Unit	Test Standard
ISO Data			
Density	1200	kg/m ³	ISO 2781

Characteristics

Processing

Injection Molding