



Sevrene® 4000-80A

MATERIAL STATUS Commercial: Active

AVAILABILITY North America

FEATURES Block Copolymer

PHYSICAL	NOMINAL VALUE	UNIT	TEST METHOD
Density	1.19	g/cm ³	ISO 1183

ELASTOMERS	NOMINAL VALUE	UNIT	TEST METHOD
Tensile Stress (100% Strain)	3.70	MPa	ISO 37
Tensile Stress (Break)	9.80	MPa	ISO 37
Tensile Elongation (Break)	530	%	ISO 37
Tear Strength	47.0	kN/m	ISO 34-1

HARDNESS	NOMINAL VALUE	UNIT	TEST METHOD
Shore Hardness (Shore A, 5 sec)	84		ISO 868

NOTES

¹ Typical properties: these are not to be construed as specifications.

