

Typical Physical Properties of TECHNO MUH DN1300

Property	Unit	Test Method	Typical Physical Properties
Tensile Strength	MPa	ISO 527	42
Flexural Strength	MPa	ISO 178	64
Flexural Modulus	MPa	ISO 178	2,280
Rockwell Hardness	—	ISO 2039	R103
Charpy Impact Strength	KJ/m ²	ISO 179	11
Temperature of Deflection Under Load	°C	ISO 75	97
Melt Mass-Flow Rate	g/10min	ISO 1133 (240°C × 10kg)	10
Density	g/cm ³	ISO 1183	1.05