



GLOBALPRENE 5526 Styrene-Isoprene block copolymer 苯乙烯-異戊二烯嵌段共聚物

Features 特性 : <ul style="list-style-type: none"> • Linear block copolymer 線狀嵌段共聚物 • Low strength and low viscosity 低強度及低黏度 • Triblock and diblock copolymer 三嵌段及雙嵌段共聚物 	Typical Application 一般應用 : <ul style="list-style-type: none"> • Hot melt adhesive 熱熔膠 			
Typical Properties : 一般性質	Test Method 測試方法	Unit 單位	Value 數值	Range 範圍
SM Content 苯乙烯含量	ASTM D5775	%	25	23 ~ 27
Diblock 雙嵌段	ASTM D5296	%	25	20 ~ 30
Specific Gravity 比重	ASTM D792	g/cc	0.93	N/A
Volatile Matter 揮發份	ASTM D5668	%	0.20	≤ 0.8
Ash Content 灰份	ASTM D5667	%	0.5	≤ 1.0
Melt Flow Index (190°C, 5kg) 熔融流動指數	ASTM D1238	g/10min	8	6 ~ 11
25wt% / 25°C Toluene Viscosity 25wt% / 25°C 甲苯黏度	ASTM D2196	cP	400	200 ~ 600

Packing 包裝 : 20 kg paper bag 20 公斤 紙袋
 600 kg super bag 600 公斤 太空包

All ingredients in the products are in compliance with the following chemical inventories :

- United States: Toxics Substances Control Act Inventory (TSCA)
- Canada: Domestic Substances List (DSL)
- Europe: EINECS/ELINCS replaced by REACH
- Australia: Australian Inventory of Chemical Substances (AICS)
- New Zealand: New Zealand Inventory of Chemicals (NZIoC)
- Korea: Korean Existing Chemicals List (KECL)
- Japan: Japanese Inventory of Existing and New Chemical Substances (ENCS)
- The Philippines: Philippines Inventory of Chemicals and Chemical Substances (PICCS)
- China: Inventory of Existing Chemical Substances Manufactured or Imported in China (IECSC)
- Taiwan: Existing Chemical Substances Inventory (ECSI)

This product pass through the tests of Skins Sensitization, Skin irritation and cytotoxicity.