



Technical Data Sheet / 技術資料表

GLOBALPRENE 7533					
Styrene-Ethylene/Butylene block copolymer 苯乙烯-乙烯/丁烯嵌段共聚物					
Features 特性 :		Typical Application 一般應用 :			
Linear block copolymer	線狀嵌段共聚物	Plastic modification	塑膠改質		
High compression set	高壓縮永久變形	Compounding for modification	混煉改質		
High mechanical strength	高機械強度	Automotive	車用		
Good compatibility with plastics	與塑膠有好的相容性	Adhesive	膠黏劑		
Typical Properties :		Test Method	Unit	Value	Range
一般性質		測試方法	單位	數值	範圍
SM Content 苯乙烯含量		ASTM D5775	%	31.5	30 ~ 33
Specific Gravity 比重		ASTM D792	-	0.91	≥ 0.91
Volatile Matter 揮發份		ASTM D5668	%	0.2	≤ 0.5
Ash Content 灰份		ASTM D5667	%	0.6	≤ 1.0
5wt% / 25°C Toluene Viscosity 5wt% / 25°C 甲苯黏度		ASTM D2196	cP	400	250 ~ 550

Note : SM content is measured on polymer before hydrogenation. 苯乙烯含量為氫化前測量值

Packing 包裝: 13kg PE bag

All ingredients in the products are in compliance with the following chemical inventories:

United States: Toxics Substances Control Act Inventory (TSCA)

Canada: Domestic Substances List (DSL)

Europe: EINECS/ELINCS replaced by REACH

Australia: Australian Inventory of Chemical Substances (AICS)

New Zealand: New Zealand Inventory of Chemicals (NZIoC)

Korea: Korean Existing Chemicals List (KECL)

Japan: Japanese Inventory of Existing and New Chemical Substances (ENCS)

The Philippines: Philippines Inventory of Chemicals and Chemical Substances (PICCS)

China: Inventory of Existing Chemical Substances Manufactured or Imported in China (IECSC)

Taiwan: Existing Chemical Substances Inventory (ECSI)