



**GLOBALPRENE 5614 Styrene-Isoprene block copolymer 苯乙烯-異戊二烯嵌段共聚合物**

<b>Features 特性 :</b> • Hybrid block copolymer 混合嵌段共聚合物 • Low strength and low viscosity 低強度及低黏度	<b>Typical Application 一般應用:</b> • Hot melt adhesive 熱熔膠 • Solvent base adhesive 溶劑膠			
<b>Typical Properties :</b> 一般性質	<b>Test Method</b> 測試方法	<b>Unit</b> 單位	<b>Value</b> 數值	<b>Range</b> 範圍
SM Content 苯乙烯含量	ASTM D5775	%	14	13 ~ 15
Diblock 雙嵌段	ASTM D5296	%	12	10 ~ 14
Volatile Matter 揮發份	ASTM D5668	%	0.14	≤ 0.5
Ash Content 灰份	ASTM D5667	%	1.0	0.7 ~ 1.3
Melt Flow Index (190°C, 5kg) 熔融流動指數	ASTM D1238	g/10min	9	6 ~ 12
25wt% Toluene Viscosity 25%甲苯黏度	ASTM D2196	cP	1400	850 ~ 2050

Packing 包裝: 20 kg paper bag 20 公斤 紙袋

All ingredients in the products are in compliance with the following chemical inventories :

United States: Toxics Substances Control Act Inventory (TSCA)

Canada: Domestic Substances List (DSL)

Europe: EINECS/ELINCS replaced by REACH

Australia: Australian Inventory of Chemical Substances (AICS)

New Zealand: New Zealand Inventory of Chemicals (NZIoC)

Korea: Korean Existing Chemicals List (KECL)

Japan: Japanese Inventory of Existing and New Chemical Substances (ENCS)

The Philippines: Philippines Inventory of Chemicals and Chemical Substances (PICCS)

China: Inventory of Existing Chemical Substances Manufactured or Imported in China (IECSC)

Taiwan: Existing Chemical Substances Inventory (ECSI)

**This product pass through the tests of Skins Sensitization, Skin irritation and cytotoxicity.**