



Technical Data Sheet / 技術資料表

GLOBALPRENE 9526D				
Styrene-Ethylene/Butylene block copolymer 苯乙烯-乙烯/丁烯嵌段共聚物				
Features 特性 :		Typical Application 一般應用 :		
Linear and clear block copolymer	線狀透明嵌段共聚物	Adhesive	黏著劑	
High diblock content	高雙嵌段	Plastic modification	塑膠改質	
High melt flow index	高熔融流動性	Mechanical parts	機械零件	
Good compatibility with plastics	與塑膠有好的相容性	Compounding for modification	混煉改質	
Excellent weather and heat resistance	優異的耐環境及耐熱性			
Typical Properties :	Test Method	Unit	Value	Range
一般性質	測試方法	單位	數值	範圍
SM Content 苯乙烯含量	ASTM D5775	%	30	29~31
Volatile Matter 揮發份	ASTM D5668	%	0.3	≤ 0.5
Ash Content 灰份	ASTM D5667	%	0.2	≤ 0.5
Melt Flow Index (190°C · 2.16kg) 熔融流動指數	ASTM D1238	g/10min	19	15~23

Note : SM content is measured on polymer before hydrogenation. 苯乙烯含量為氫化前測量值

Packing 包裝: 20kg PE bag 20 公斤 PE 袋

All ingredients in the products are in compliance with the following chemical inventories:

United States: Toxics Substances Control Act Inventory (TSCA)

Canada: Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL)

Europe: EINECS/ELINCS replaced by REACH

Australia: Australian Inventory of Chemical Substances (AICS)

New Zealand: New Zealand Inventory of Chemicals (NZIoC)

Korea: Korean Existing Chemicals List (KECL)

Japan: Japanese Inventory of Existing and New Chemical Substances (ENCS)

The Philippines: Philippines Inventory of Chemicals and Chemical Substances (PICCS)

China: Inventory of Existing Chemical Substances Manufactured or Imported in China (IECSC)

Taiwan: Existing Chemical Substances Inventory (ECSI)