

Fibremod[™] GB215HP-9502

1. Identification of the substance/mixture and of the company/undertaking

Trade name:	Fibremod GB215HP-9502
Material use:	raw material for plastics industry
Manufacturer:	Borealis
	E-mail address: product.safety@borealisgroup.com

2. Hazards identification

Health: The product is not classified as hazardous. Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

Fire: The product burns, but is not classified as flammable. **Environment:** The product is not considered hazardous for the environment.

3. Composition/information on ingredients

The product is a polypropylene polymer.

Contains no substance classified as hazardous in concentrations, which should be taken into account according to EU regulations.

4. First aid measures

No specific instructions needed. Skin contact: Cool melted product on skin with plenty of water. Do not remove solidified product.

5. Firefighting measures

Suitable extinguishing media: Water in spread jet, dry chemicals, foam or carbon dioxide. **Special exposure hazards:** Principal toxicant in the smoke is carbon monoxide.

6. Accidental release measures

Vacuum or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents.

7. Handling and storage

Handling: During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Dust from the product gives a potential risk for dust explosion. All equipment shall be grounded.

Storage: Safety aspects do not require any special precautions in terms of storage.

HongRong Engineering Plastics Co.,Ltd. Head Office Tel. +85–2–6957–5415 Research Center Tel.+188 1699 6168





Fibremod GB215HP-9502

8. Exposure controls/personal protection

Provide adequate ventilation. Local exhaust ventilation may be necessary.

9. Physical and chemical properties

Appearance: solid, black Odour: odourless

Melting point/range: 130 - 170 °C Density: 0,9 - 1,0 g/cm³ Ignition temperature: > 320 °C Solubility(ies): insoluble in water

10. Stability and reactivity

The product is a stable thermoplastic, with no chemical reactivity.

11. Toxicological information

The product is not classified as hazardous according to Regulation (EC) No 1272/2008. Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

12. Ecological information

The product is not considered hazardous for the environment.

13. Disposal considerations

Reuse or recycle if not contaminated. The product may be safely used as fuel. Proper combustion does not require any special flue gas control. Check with local regulations.

14. Transport information

The product is not regulated by ADR/RID, IMDG or IATA.

HongRong Engineering Plastics Co.,Ltd. Head Office Tel. +85–2–6957–5415 Research Center Tel.+188 1699 6168

