+135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)



# Sinpolene MBW3422

## Teknor Apex Asia Pacific PTE. LTD. - Low Density Polyethylene

### **General Information**

#### **Product Description**

Sinpolene MBW3422 is a polyethylene-based pure white masterbatch designed specifically for use in tubular film blowing, blow moulding and co-extrusion of polyolefins. With its high pigment loading, Sinpolene MBW3422 offers high colouring value with excellent quality and performance.

The blue undertone of this masterbatch is attributed by specially selected high performance, fine crystal size rutile titanium dioxide.

Sinpolene MBW3422 is delivered as free flowing pellets for processing convenience.

#### **CHARACTERISTICS**

- \* Easy processing
- \* Good dispersion
- \* High opacifying power
- \* Excellent whiteness

General				
Material Status	Commercial: Active			
Availability	Asia Pacific			
Filler / Reinforcement	Titanium Dioxide Equivalent, 70% Filler by Weight			
Uses	• Film	<ul> <li>Masterbatch</li> </ul>	• Sheet	
Agency Ratings	• FDA			
RoHS Compliance	<ul> <li>RoHS Compliant</li> </ul>			
Appearance	<ul> <li>White</li> </ul>			
Forms	<ul> <li>Pellets</li> </ul>			
Processing Method	Blown Film	<ul> <li>Sheet Extrusion</li> </ul>		

ASTM & ISO Properties <sup>1</sup>				
Physical	Nominal Value Unit	Test Method		
Density / Specific Gravity	2.02	ASTM D792		
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	< 20 g/10 min	ASTM D1238		
Moisture Content	< 0.20 %	ASTM D3030		

#### Additional Information

Recommended dosage: 5 - 10%

#### **Notes**

<sup>&</sup>lt;sup>1</sup> Typical properties: these are not to be construed as specifications.