

TAIPOL[®]

TAIPOL[®] 6154

Styrene-Ethylene/Butylene-Styrene (SEBS) Block Copolymer

TAIPOL[®] 6154 is a linear triblock copolymer with 32.5% styrene content.

The product exhibits the following characteristics:

- Medium molecular weight
- Superior weather and heat resistance
- Good compatibility with plastics and oils
- Suitable for asphalt modification, plastic modification and thermoplastic elastomer compound

TAIPOL[®] 6154 (SEBS) is offered as a powder supplied from China PRC and Taiwan.

Polymer Properties	Test Method	Unit	Typical Value ⁽¹⁾
Diblock Content	TSRC Method	wt%	<1
Specific Gravity	ASTM D792	-	0.91
Hardness	ASTM D2240	Shore A	-
Tensile Strength	ASTM D412	MPa	-
Elongation at Break	ASTM D412	%	-
Solution Viscosity ⁽²⁾	TSRC Method	cP	280

Sales Specification	Test Method	Unit	Range	
			Min	Max
Styrene	TSRC Method	wt%	31.0	34.0
Volatile Matter	TSRC Method	wt%	-	0.5
Ash (w/o AB)	ASTM D5667	wt%	-	0.2
Ash (w/ AB)	ASTM D5667	wt%	-	1.0
Melt Flow Rate ⁽³⁾	ASTM D1238	g/10min	-	-

1) Not to be construed as specifications

2) 10 wt% in Toluene, 25°C

3) 230°C/2.16kg

